

Les monstres – Part II

Marc van Peteghem and Vincent Lauriot-Prévoist use five different examples of bow profile to demonstrate how they tailor each of their large multihull designs to meet the client's brief

It's not the size – it's the motion in the ocean

Designing racing yachts for some of the most highly respected skippers in the world is a demanding job, and innovation is the key to keeping each of them competitive, content and on the podium. To achieve the required level of aggressive, reactive, innovative, out-of-the box thinking, each VPLP design is custom-drawn to meet the needs of the skipper and the race or record programme that they want to undertake. The number of crew and the weather conditions the yacht will encounter are also key factors in the design process. But ultimately the aim is always the same: to improve on the standards already set.

If we examine the different types of bow

sections from some of the best-known VPLP racing trimarans we can see how this constantly evolving, but rarely repeated approach works in practice.

We start with the base-principle that the bow of any boat is the consequence of the progression of its forward sections. So the eventual shape of the bow (as is also the case for the vessel as a whole) is determined by the sailing programme of the yacht far more than by personal preference, crew experience or even the available budget.

The broader criteria are first set according to whether the design is intended to be sailed exclusively inshore (as in the case of *BMW Oracle Racing*), exclusively offshore (as in the case of our latest maxi *Banque Populaire V*) or a combination of the two – as was the case with the Orma trimarans, which had to be versatile enough to be raced fully crewed in inshore Grand Prix and sailed efficiently offshore either solo, as in the Route du Rhum, or two-handed, as in the Transat Jacques Vabre.

Case 1

Take, for example, a section of the bow of a 2001-generation Orma 60 like *Belgacom* (Section 1, *opposite*). This type of V-section necessarily produces a positive raked bow. The more the sections are V-d, the more the bow is inclined forward, with bigger overhangs as a consequence. The original objective of this profile was to dampen pitching through waves; however, this approach has now become outmoded

because increased dampening also results in increased pitch acceleration which causes the opposite effect and so is detrimental.

Case 2

Section 2 is a vertical stem that produces the blunt bow profile still most commonly seen on modern performance monohulls and catamarans; it is important to note that these boat types are not normally fitted with lifting foils so the intention is that the entire hull remains in contact with the water.

The aim of such a snub profile is to create a bow shape that will pass through waves with a fine angle of entry and increase waterline length and so lessen the pitching motion.



Generally speaking, vertical sections help to reduce drag when passing through waves by preserving this narrow angle of entry through to the upper forward sections (ie form drag does not increase dramatically with immersion when the boat is pressed). This helps to improve the hull speed capacity by increasing the waterline length and the prismatic coefficient for a given overall length. It is the type of design method that was applied to our recent 50-footer *Crêpes Whaou! II* but it is crucial to remember that this design was also not fitted with lift foils.

Case 3

Section 3 shows how we evolved from the bow shape of *Crêpes Whaou! II* to the form that is used for Franck Cammas's *Groupama 3*. But *Groupama 3* was fitted with lift foils, and she was also always intended for a circumnavigation.



Van Peteghem YACHT Lauriot Prévost DESIGN



Top: a nice reverse progression from *BOR90* down to the 50ft *Crêpes Whaou!* VPLP's latest launching is the radical lake foiling cat *Syz & Co* (opposite page and Section 5, left) which features the steepest reverse stems (inset) yet tried at this scale

Our sketch demonstrates the fuller lower sections that generate the beginnings of the so-called 'dreadnought' look.

When the lift foils are not deployed the angle of entry of the waterline remains quite narrow but with sufficient volume to offer necessary flotation forward and sufficient volume above the waterline (reserve buoyancy where the hull widens again) to prevent digging in. If the 100% load case is when the trimaran is flying one float and the main hull, then this bow shape is designed to have optimum performance when it passes through waves using between 30-70% of the displacement of the leeward float, ie with that same proportion of the float immersed.

When the foils are deployed the bow will emerge from the water so hull drag, and therefore bow shape, become less important. For *BMW Oracle Racing* we employed a similar stem approach to *Groupama 3*, apart from the upper part of the forward sections, which are finer because this design is intended for inshore races only and (we anticipate) relatively flat sea conditions and so requires less reserve buoyancy.

Case 4

Banque Populaire is a markedly different shape (shown in Section 4) and is a compromise between cases 2 and 3, with sharper upper deck sections to help the float to re-emerge easily when passing through waves. In other words, this shape has the ability to slice upwards through the large wave formations typically found in open oceans when undertaking circumnavigations. Meanwhile, the fully rounded underbody on *BP5*'s floats gives positive lift when sailing fast.

Reducing the float beam as we progress upwards also, of course, generates a reverse stem (these reverse stems are generally typical of multihulls with narrow decks in the forward area). In the case of *BP5* the hard upper chine produced by this hull form gives the boat its particularly aggressive appearance.

Case 5

Finally, another recent VPLP launch is the *Syz & Co* 32ft Swiss catamaran foiler. The forward sections on this radical lake racer (Section 5) show a very sharp bow entry but with generous buoyancy and rounded lower sections to create maximum dynamic lift forward.

This type of hull form is specific to inshore designs that are foil-assisted; in fact, the bows are usually airborne and gliding above the water, when no reserve buoyancy is required in the bow section.

Rather like the latest foil-borne International Moth, the design of *Syz & Co* does not represent a shape that would be efficient without the aid of foils, because its efficiency is largely dependent upon it normally being out of the water!

Here we have used the case of the bow profile to demonstrate how some of our principal design choices are arrived at, but a similar suite of approaches will be found in the other key areas, including buoyancy distribution, appendage choice and rig configuration. However, there is no doubt that the past 24 months have been a particularly exciting time for us... Regrettably, such contrasting commissions as *Groupama 3*, *BMW Oracle Racing*, *Syz & Co* and finally *Banque Populaire V* do not land on our desks every day of the week! □

Performance



around the world!

www.ullmansails.com

AUSTRALIA

Melbourne
Tel: +61 3 5977 1546
Fax: +61 3 5977 0066
Email: sam@ullmansails.com.au

Perth
Tel: +61 8 9417 5893
Fax: +61 8 9417 5893
Email: brad@ullmansails.com.au

Sydney
Tel: +61 2 9529 8546
Fax: +61 2 9529 3425
Email: bruce@ullmansails.com.au

Sunshine Coast
Tel: +61 7 5492 8220
Fax: +61 7 5492 8221
Email: yancy@ullmansails.com.au

Whitsunday
Tel: +61 4 1963 2458
Fax: +61 7 4945 4335
Email: robert@ullmansails.com.au

EUROPE

FRANCE

Brittany
Tel: +33 29 86 60 634
Fax: +33 29 88 23 802
Email: top.regate@wanadoo.fr

DENMARK

Aarhus
Tel: +45 86 22 22 33
Fax: +45 86 22 77 86
Email: info@ullmansails.dk

ITALY

Iseo
Tel: +39 030 982 2178
Fax: +39 030 982 1807
Email: info@ullmangz.it

Trieste
Tel: +39 040 832 3434
Fax: +39 040 832 3434
Email: ullmansails@ullmansails.it

CROATIA

Rijeka
Tel: +385 51 288 661
Fax: +385 51 288 661
Email: gregojachting@rii-1.com.hr

UNITED KINGDOM

Hamble
Tel: +44 (0) 2380 457711
Fax: +44 (0) 8452 807939
Email: ian@uk-ullman-sails.com

Plymouth
Tel: +44 (0) 1752 550040
Fax: +44 (0) 1752 550040
Email: chris@uk-ullman-sails.co.uk

NORTH AMERICA

United States

CALIFORNIA

Newport Beach
Tel: +1 (714) 432-1860
Fax: +1 (714) 432-1865
Email: ullman@ullmansails.com

San Diego
Tel: +1 (619) 226-1133
Fax: +1 (619) 226-3244
Email: info@ullmansails.com

Ventura
Tel: +1 (805) 644-9579
Fax: +1 (805) 644-8643
Email: ullmanventura@attglobal.net

FLORIDA

Sarasota
Tel: +1 (941) 951-0189
Fax: +1 (941) 955-4758
Email: ullf@verizon.net

HAWAII

Honolulu
Tel: +1 (808) 593-9958
Fax: +1 (808) 591-9056
Email: info@artnelsonsmaker.com

LOUISIANA

Mandeville
Tel: +1 (985) 626-5638
Fax: +1 (985) 626-9173
Email: gulfcoast@ullmansails.com

MARYLAND

Havre de Grace
Tel: +1 (410) 939-9261
Fax: +1 (410) 939-9364
Email: us@skelleysails.com

NEW YORK

Buffalo
Tel: +1 (716) 447-9766
Email: ullmanbuffalo@aol.com

Rochester
Tel: +1 (877) 724-5864
Email: ullmanrochester@yahoo.com

OHIO

Cleveland
Tel: +1 (216) 486-5732
Fax: +1 (216) 486-5828
Email: ullmancleveland@aol.com

TEXAS

Ft. Worth
Tel: +1 (888) 491-5115
Fax: +1 (817) 426-0884
Email: info@ullmansailstexas.com

VIRGINIA

Deltaville
Tel: +1 (804) 776-6151
Fax: +1 (641) 453-3150
Email: jerry@ullmansails.com

when you want the best!

NORTH AMERICA

Mexico



Acapulco
Tel: +52 7 444 83 8432
Fax: +52 5 557 81 4750
Email: tomas@beneteaumex.com

Mexico City
Tel: +52 7 444 83 8432
Fax: +52 5 557 81 4750
Email: tomas@beneteaumex.com